



HR	Cisco IOS-XR Interface and Hardware Component Command Reference
IR	Cisco IOS-XR IP Addresses and Services Command Reference
MCR	Cisco IOS-XR Multicast Command Reference
MPR	Cisco IOS-XR MPLS Command Reference
RR	Cisco IOS-XR Routing Command Reference
SMR	Cisco IOS-XR System Management Command Reference
SR	Cisco IOS-XR System Security Command Reference

A

arp command [IR-62](#)
arp timeout command [IR-64](#)

B

bandwidth (QoS) command [IR-314](#)
bandwidth remaining command [IR-316](#)

C

cef ipv4 unicast check-consistency [IR-74](#)
cinetd rate-limit command [IR-126](#)
class (policy map) command [IR-317](#)
class-map command [IR-319](#)
clear adjacency ipv4 command [IR-76](#)
clear adjacency statistics command [IR-77](#)
clear arp-cache command [IR-66](#)
clear cef ipv4 drop command [IR-79](#)
clear cef ipv4 exceptions command [IR-80](#)
clear cef ipv4 prefix command [IR-81](#)
clear cef ipv4 prefix-statistics command [IR-82](#)
clear cef ipv6 drop command [IR-83](#)
clear cef ipv6 exceptions command [IR-84](#)
clear clns traffic command [IR-220](#)
clear host command [IR-127](#)

clear ip prefix-list counters command [IR-288](#)
clear ipv4 prefix-list command [IR-288](#)
clear ipv6 access-list command [IR-4](#)
clear ipv6 neighbors command [IR-221](#)
clear ipv6 prefix-list command [IR-290](#)
clear qos counters command [IR-321](#)
clear raw statistics pcb command [IR-374](#)
clear tcp pcb command [IR-376](#)
clear tcp statistics command [IR-377](#)
clear udp statistics command [IR-378](#)
copy ipv4 access-list command [IR-6](#)
copy ipv4 prefix-list command [IR-292](#)
copy ipv6 access-list command [IR-8](#)
copy ipv6 prefix-list command [IR-294](#)

D

deny (IPv4) command [IR-10](#)
deny (IPv4 and IPv6) command [IR-296](#)
deny (IPv6) command [IR-19](#)
dhcp relay information check disable command [IR-118](#)
dhcp relay information option command [IR-119](#)
dhcp relay information policy command [IR-121](#)
dhcp server command [IR-123](#)
domain ipv4 command [IR-128](#)
domain ipv6 host command [IR-129](#)
domain list command [IR-130](#)
domain lookup disable command [IR-131](#)
domain-name command [IR-133](#)
domain name-server command [IR-134](#)

F

forward-protocol udp command [IR-379](#)
ftp client anonymous-password command [IR-135](#)

ftp client passive command [IR-136](#)
 ftp client source-interface command [IR-137](#)

H

hsrp authentication command [IR-164](#)
 hsrp ipv4 command [IR-166](#)
 hsrp mac-address command [IR-168](#)
 hsrp preempt command [IR-170](#)
 hsrp priority command [IR-172](#)
 hsrp redirects command [IR-174](#)
 hsrp timers command [IR-176](#)
 hsrp track command [IR-178](#)
 hsrp use-bia command [IR-180](#)

I

icmp ipv4 rate-limit unreachable command [IR-222](#)
 interface (HSRP) command [IR-181](#)
 interface (VRRP) command [IR-404](#)
 ip cef accounting non-recursive command [IR-85](#)
 ip cef purge-delay command [IR-86](#)
 ipv4 access-group command [IR-23](#)
 ipv4 access-list command [IR-25](#)
 ipv4 access-list log-update threshold command [IR-27](#)
 ipv4 address command [IR-223](#)
 ipv4 directed-broadcast command [IR-225](#)
 ipv4 helper-address [IR-226](#)
 ipv4 mask-reply command [IR-228](#)
 ipv4 prefix-list command [IR-298](#)
 ipv4 redirects disable command [IR-229](#)
 ipv4 source-route disable command [IR-230](#)
 ipv4 unnumbered command [IR-231](#)
 ipv4 unreachable disable command [IR-233](#)
 ipv4 verify unicast source reachable-via command [IR-87](#)
 ipv4 virtual address command [IR-234](#)
 ipv6 access-group command [IR-28](#)
 ipv6 access-list command [IR-30](#)

ipv6 access-list log-update threshold command [IR-32](#)
 ipv6 address command [IR-236](#)
 ipv6 address link-local command [IR-238](#)
 ipv6 enable command [IR-240](#)
 ipv6 hop-limit command [IR-241](#)
 ipv6 icmp error-interval command [IR-242](#)
 ipv6 nd dad attempts command [IR-244](#)
 ipv6 nd managed-config-flag command [IR-247](#)
 ipv6 nd ns-interval command [IR-248](#)
 ipv6 nd other-config-flag command [IR-249](#)
 ipv6 nd prefix command [IR-250](#)
 ipv6 nd ra-interval command [IR-252](#)
 ipv6 nd ra-lifetime command [IR-253](#)
 ipv6 nd reachable-time command [IR-254](#)
 ipv6 nd redirects command [IR-255](#)
 ipv6 nd scavenge-timeout command [IR-256](#)
 ipv6 nd suppress-na command [IR-257](#)
 ipv6 neighbor command [IR-258](#)
 ipv6 prefix-list command [IR-300](#)
 ipv6 verify unicast source reachable-via any
 command [IR-89](#)

M

match [IR-332](#)
 match access-group command [IR-323](#)
 match any command [IR-325](#)
 match discard-class command [IR-327](#)
 match dscp command [IR-329](#)
 match mpls experimental topmost command [IR-332](#)
 match precedence command [IR-334](#)
 match protocol command [IR-336](#)
 match qos-group command [IR-338](#)
 mhost ipv4 default-interface [IR-260](#)
 mtu (packet) command [IR-262](#)

P

permit (IPv4) command [IR-33](#)

permit (IPv6) command [IR-42](#)
 permit command [IR-302](#)
 ping command (EXEC) [IR-139](#)
 police command [IR-340](#)
 policy map command [IR-342](#)
 priority (QoS) command [IR-344](#)
 proxy-arp command [IR-67](#)

Q

queue-limit command [IR-346](#)

R

random-detect command [IR-348](#)
 random-detect discard-class command [IR-349](#)
 random-detect dscp command [IR-350](#)
 random-detect exp command [IR-352](#)
 random-detect precedence command [IR-353](#)
 rcp client source-interface command [IR-142](#)
 rcp client username command [IR-144](#)
 remark (IPv6) command [IR-48](#)
 remark (prefix-list) command [IR-304](#)
 resequence ipv4 access-list command [IR-50](#)
 resequence ipv4 prefix-list command [IR-306](#)
 resequence ipv6 access-list command [IR-52](#)
 router hsrp command [IR-183](#)
 router-id (global) command [IR-264](#)
 router vrrp command [IR-406](#)
 rp mgmtethernet forwarding command [IR-90](#)

S

service-policy command [IR-354](#)
 service tcp-small-servers command [IR-381](#)
 service udp-small-servers command [IR-383](#)
 set discard-class command [IR-356](#)
 set dscp command [IR-358](#)

set mpls experimental topmost command [IR-360](#)
 set precedence command [IR-362](#)
 set qos-group command [IR-364](#)
 shape command [IR-366](#)
 show adjacency command [IR-91](#)
 show arm conflicts command [IR-266](#)
 show arm database command [IR-268](#)
 show arm registrations consumers routerid
 command [IR-270](#)
 show arm registrations producers command [IR-271](#)
 show arm summary command [IR-272](#)
 show arp command [IR-69](#)
 show cef ipv4 command [IR-93](#)
 show cef ipv4 drop command [IR-95](#)
 show cef ipv4 exceptions command [IR-113](#)
 show cef ipv4 interface command [IR-99](#)
 show cef ipv4 non-recursive command [IR-101](#)
 show cef ipv4 summary command [IR-103](#)
 show cef ipv4 unicast check-consistency command [IR-104](#)
 show cef ipv4 unresolved command [IR-107](#)
 show cef ipv6 command [IR-108](#)
 show cef ipv6 drop command [IR-112](#)
 show cef ipv6 exceptions command [IR-113](#)
 show cef ipv6 non-recursive command [IR-114](#)
 show cef ipv6 unresolved command [IR-116](#)
 show cinetd services command [IR-146](#)
 show clns traffic command [IR-273](#)
 show hosts command [IR-147](#)
 show hsrp command [IR-184](#)
 show ipv4 access-lists command [IR-54](#)
 show ipv4 interface command [IR-274](#)
 show ipv4 prefix-list command [IR-308](#)
 show ipv4 traffic command [IR-276](#)
 show ipv6 access-lists command [IR-57](#)
 show ipv6 interface command [IR-278](#)
 show ipv6 neighbors command [IR-280](#)
 show ipv6 prefix-list command [IR-310](#)
 show ipv6 traffic command [IR-282](#)
 show lpts bindings command [IR-190](#)

show lpts clients command [IR-193](#)
show lpts flows command [IR-195](#)
show lpts ifib command [IR-198](#)
show lpts ifib entries command [IR-198](#)
show lpts ifib slices command [IR-201](#)
show lpts mpa groups command [IR-207](#)
show lpts pifib command [IR-209](#)
show lpts pifib lookup command [IR-214](#)
show lpts pifib type command [IR-216](#)
show mhost ipv4 default-interface command [IR-284](#)
show mhost ipv4 groups command [IR-285](#)
show policy-map interface command [IR-368](#)
show qos interface command [IR-370](#)
show raw brief command [IR-385](#)
show raw pcb command [IR-386](#)
show raw statistics pcb command [IR-387](#)
show tcp brief command [IR-389](#), [IR-394](#)
show tcp pcb command [IR-390](#)
show tcp statistics command [IR-392](#)
show udp brief command [IR-394](#)
show udp pcb command [IR-395](#)
show udp statistics command [IR-396](#)
show vrrp command [IR-407](#)

T

tcp path-mtu-discovery command [IR-398](#)
tcp selective-ack command [IR-399](#)
tcp synwait-time command [IR-400](#)
tcp timestamp command [IR-401](#)
tcp window-size command [IR-402](#)
telnet command [IR-148](#)
telnet server command [IR-151](#)
telnet transparent command [IR-153](#)
tftp client source-interface command [IR-154](#)
tftp server command [IR-156](#)
traceroute (IPv4) command [IR-157](#)
traceroute (IPv6) command [IR-160](#)

V

vrrp assume-ownership command [IR-410](#)
vrrp ipv4 command [IR-412](#)
vrrp md5-authentication command [IR-414](#)
vrrp preempt command [IR-416](#)
vrrp priority command [IR-418](#)
vrrp text-authentication command [IR-414](#), [IR-419](#)
vrrp timer command [IR-421](#)
vrrp track command [IR-423](#)